REPUBLIC OF SOUTH AFRICA

THE ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 58 | 1991 | Numbers 1–4

AUTHOR INDEX

	Volume	Page
Allwright, D. M.		
Isolation and identification of adenovirus 127, the causative agent of egg drop syndrome (EDS) from commercial laying hens in South Africa. R. R. BRAGG, D. M. ALLWRIGHT and L. COETZEE	58	309–310
Apps, P. J.		
A gas-chromatographic headspace method for the determination of acetone in bovine milk, blood and urine. HANLIE E. K. WINTERBACH and P. J. APPS	58	75–79
Basson, A. T.		
Copper toxicity in ruminants: air pollution as a possible cause. B. GUMMOW, C. J. BOTHA, A. T. BASSON and STELLA S. BASTIANELLO	58	33–39
Bastianello, Stella S.		
Copper toxicity in reminants: air pollution as a possible cause. B. GUMMOW, C. J. BOTHA, A. T. BASSON and STELLA S. BASTIANELLO	58	33–39
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Bennett, G. F.		
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Berché, P.		
T cell-mediated immunity to *Cowdria ruminantium* in mice: the protective role of Lyt-2$^+$ T cells. J. L. DU PLESSIS, P. BERCHE and L. VAN GAS	58	171–179
Bezuidenhout, J. D.		
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193
Boomker, J.		
Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP	58	11–13
Parasites of South African wildlife. VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOMKER, D. G. BOOYSE and L. E. O. BRAACK	58	15–16
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOKMER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER	58	195–202
Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT	58	203–204
Parasites of South African wildlife. X. Helminths of red duikers, *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	205–209
Parasites of South African wildlife. XI. Description of a new race of *Cooperia rotundispiculum* Gibbons & Khalil, 1980. J. BOOMKER	58	271–273
Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	275–280
Ixodid ticks and lice infesting red duikers and bush pigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMMAND	58	281–284
Booyse, D. G		
Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP	58	11–13
Parasites of South African wildlife. VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOKMER, D. G. BOOYSE and L. E. O. BRAACK	58	15–16
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER	58	195–202
Botha, A. D.		
The antibiotic sensitivity patterns of *Bacillus anthracis* isolated from the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	17–19
The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	21–26
Botha, C. J.		
Copper toxicity in ruminants: air pollution as a possible cause. B. GUMMOW, C. J. BOTHA, A. T. BASSON and STELLA S. BASTIANELLO	58	33–39
Braack, L. E. O.		
Parasites of South African wildlife VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOMKER, D. G. BOOYSE and L. E. O. BRAACK	58	15–16
Drag-sampling of free-living ixodied ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32

	Volume	Page
Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS	58	137–143
The prevalence of blood parasites in helmeted guineafolws, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Spread in South Africa of the Oriental latrine fly *Chrysomya megacephala* (Fabricius) (Diptera: Caliphoridae), an introduced species closely resembling *Chrysomya bezziana* Villeneuve. L. E. O. BRAACK	58	311–312
Bragg, R. R.		
Health status of salmonids in river systems in Natal. I. Collection of fish and parasitological exmination. R. R. BRAGG	58	59–62
Heath status of salmonids in riversystems in Natal. II. Isolation and identification of viruses. R. R. BRAGG	58	63–65
Health status of salmonids in river systems in Natal. III. Isolation and identification of bacteria: R. R. BRAGG	58	67–70
Isolation and identification of adenovirus 127, the causative agent of egg drop syndrome (EDS) from commercial laying hens in South Africa. R. R. BRAGG, D. M. ALLWRIGHT and L. COETZEE	58	309–310
Brett, O. L.		
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. meliitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET V. LAWRENCE, O. L. BRETT and L. M. M. RIBEIRO	58	111–114
Brown, J. M. M.		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Burger, D. B.		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Claassen, Elmarie		
A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. RIBEIRO, ELMARIE CLAASSEN and J. G. MYBURGH	58	41–45
Coetzee, L.		
Isolation and identification of adenovirus 127, the causative agent of egg drop syndrome (EDS) from commercial laying hens in South Africa. R. R. BRAGG, D. M. ALLWRIGHT and L. COETZEE	58	309–310
Coetzer, J. A. W.		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Crause, J. C.		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
De Groot, Mia		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
Depner, K.		
Prevalence of ruminant pestivirus infections in Namibia. K. DEPNER, O. J. B. HUBSCHLE and B. LIESS	58	107–109
De Vos, V.		
The antibiotic sensitivity patterns of *Bacillus anthracis* isolated from the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	17–19
The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	21–26
Du Plessis, D. H.		
Laboratory confirmation of African horsesickness in the Western Cape: application of a $F(ab')_2$-based indirect ELISA. D. H. DU PLESSIS, W. VAN WYNGAARDT, G. H. GERDES and E. OPPERMAN	58	1–3
Du Plessis, J. L.		
T cell-mediated immunity to *Cowdria ruminantium* in mice: the protective role of Lyt-2^+ T cells. J. L. DU PLESSIS, P. BERCHÉ and L. VAN GAS	58	171–179
Earlé, R. A		
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Enslin, C. B.		
The effect of tick infestation on the productivity of cows of three breeds of cattle. M. M. SCHOLTZ, A. M. SPICKETT, P. E. LOMBARD and C. B. ENSLIN	58	71–74

	Volume	Page
Erasmus, G. L.		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Flamand, J. R. B.		
Parasites of South African wildlife. X. Helminths of red duikers, *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	205–209
Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	275–280
Ixodid ticks and lice infesting red duikers and bushpigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMAND	58	281–284
Fourie, L. J.		
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE	58	261–270
Fourie, N.		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Gerdes, G. H.		
Laboratory confirmation of African horsesickness in the Western Cape: application of a $F(ab')_2$-based indirect ELISA. D. H. DU PLESSIS, W. VAN WYNGAARDT, G. H. GERDES and E. OPPERMAN	58	1–3
Groeneveld, H. T.		
Overberg research projects. X. Faecal egg counts in the interpretation of nematode worm burdens in sheep. R. K. REINECKE and H. T. GROENEVELD	58	149–153
Gummow, B.		
Copper toxicity in ruminants: air pollution as a possible cause. B. GUMMOW, C. J. BOTHA, A. T. BASSON and STELLA S. BASTIANELLO	58	33–39
Hart, Alet		
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENTHOUT and L. PROZESKY	58	187–193
Herr, S.		
A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. RIBEIRO, ELMARIE CLAASSEN and J. G. MYBURGH	58	41–45
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. melitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET, V. LAWRENCE, O. L. BRETT and L. M. M. RIBEIRO	58	111–114
Hill, Elaine		
The use of membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Horak, I. G.		
Drag-sampling of free-living ixodid ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32
Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK	58	115–123
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLAMS	58	125–136
Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS	58	137–143
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HOARK, D. G. BOOYSE and SANTA MEYER	58	195–202
Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT	58	203–204
Parasites of South African wildlife. X. Helminths of red duikers, *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	205–209
Parasites of domestic and wild animals in South Africa XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS	58	253–260

	Volume	Page
Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE	58	261–270
Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	275–280
Ixodid ticks and lice infesting red duikers and bush-pigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMAND	58	281–284
Hubschle, O. J. B.		
Prevalence of ruminant pestivirus infections in Namibia. K. DEPNER, O. J. B. HUBSCHLE and B. LIESS	58	107–109
Huchzermeyer, F. W.		
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Jongejan, Frans		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
Keep, M. E.		
Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP	58	11–13
Kellerman, T. S.		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis* (= *Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITA SCHULTZ, C. J. RABIE H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Kitching, J. P.		
The pathology of *Cestrum laevigatum* (Schlechtd) poisoning in cattle. J. J. VAN DER LUGT, P. W. NEL and J. P. KITCHING	58	211–221
Kocan, Katherine M.		
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193
Kock, M.		
Reproductive parameters in free-ranging female black rhinoceroses *(Diceros bicornis)* in Zimbabwe. N. KOCK, D. MORTONE and M. KOCK	58	55–57
Kock, N.		
Reproductive parameters in free-ranging female black rhinoceroses *(Diceros bicornis)* in Zimbabwe. N. KOCK, D. MORTONE and M. KOCK	58	55–57
Kostrzewski, M. W.		
The relative resistance of six cattle breeds to the tick *Boophilus decoloratus* in South Africa. Y. RECHAV and M. W. KOSTRZEWSKI	58	181–186
Knight, M. M.		
Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT	58	203–204
Parasites of domestic and wild animals in South Africa. XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS	58	253–260
Lawrence, Janet V.		
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. melitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET V. LAWRENCE, O. L. BRETT and L. M. M. RIBEIRO	58	111–114
Liess, B.		
Prevalence of ruminant pestivirus infections in Namibia. K. DEPNER, O. J. B. HUBSCHLE and B. LIESS	58	107–109
Lombard, P. E.		
The effect of tick infestation on the productivity of cows of three breeds of cattle. M. M. SCHOLTZ, A. M. SPICKETT, P. E. LOMBARD and C. B. ENSLIN	58	71–74
Lourens, Mardi		
Overberg research projects. XI. First stage larval reduction test to assess. anthelmintic efficacy ante mortem in sheep. R. K. REINECKE, MARDI LOURENS and BERTHEA PETERSEN	58	285–290
Lübben, Annelie		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (=Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308

	Volume	Page
Maartens, B. P.		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ. C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Meiswinkel, R.		
Afrotropical *Culicoides: C. (Avaritia) miombo* sp. nov., a widespread species closely allied to *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae). R. MEISWINKEL	58	155–170
Meyer, Santa		
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER	58	195–202
Mortone, D.		
Reproductive parameters in free-ranging female black rhinoceroses *(Diceros bicornis)* in Zimbabwe. N. KOCK, D. MORTONE and M. KOCK	58	55–57
Myburgh, J. G.		
A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. RIBEIRO, ELMARIE CLAASSEN and J. G. MYBURGH	58	41–45
Neitz, A. W. H.		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Nell, P. W.		
The pathology of *Cestrum laevigatum* (Schlechtd) poisoning in cattle. J. J. VAN DER LUGT, P. W. NEL and J. P. KITCHING	58	211–221
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Nevill, E. M.		
The use of a membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Novellie, P. A.		
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Odendaal, M. W.		
The antibiotic sensitivity patterns of *Bacillus anthracis* isolated from the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	17–19
The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	21–26
Opperman, E.		
Laboratory confirmation of African horsesickness in the Western Cape: application of a $F(ab')_2$-based indirect ELISA. D. H. DU PLESIS, W. VAN WYNGAARDT, G. H. GERDES and E. OPPERMAN	58	1–3
Pajor, I. T. P.		
The use of a membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Pentzhorn, B. L.		
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Petersen, Bethea		
Overberg research projects. XI. First stage larval reduction test to assess, anthelmintic efficacy ante mortem in sheep. R. K. REINECKE, MARDI LOURENS and BETHEA PETERSEN	58	285–290
Pieterson, P. M.		
The antibiotic sensitivity patterns of *Bacillus anthracis* isolated from the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	17–19
The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	21–26

	Volume	Page
Prinsloo, J. F.		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embryos with formalin and malachite green: effect of concentration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Prozesky, L.		
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LUBBEN	58	297–308
Rabie, C. J.		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LUBBEN	58	297–308
Rechav, Y.		
The relative resistance of six cattle breeds to the tick *Boophilus decoloratus* in South Africa. Y. RECHAV and M. W. KOSTRZEWSKI	58	181–186
Reinecke, R. K.		
Overberg research projects. X. Faecal egg counts in the interpretation of nematode worm burdens in sheep. R. K. REINECKE and H. T. GROENEVELD	58	149–153
Overberg research projects. XI. First stage larval reduction test to assess, anthelmintic efficacy ante mortem in sheep. R. K. REINECKE, MARDI LOURENS and BETHEA PETERSEN	58	285–290
Ribeiro, L. M. M.		
A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. REBEIRO, ELMARIE CLAASSEN and J. G. MYBURGH	58	41–45
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. melitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET V. LAWRENCE, O. L. BRETT and I. M. M. RIBEIRO	58	111–114
Roux, Elizabeth M.		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland protcins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Scholtz, M. M.		
The effect of tick infestation on the productivity of cows of three breeds of cattle. M. M. SCHOLTZ, A. M. SPICKETT, P. E. LOMBARD and C. B. ENSLIN	58	71–74
Schoonbee, H. J.		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embryos with formalin and malachite green: effect of concentration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Schultz, R. Anitra		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LUBBEN	58	297–308
Spickett, A. M.		
Drag-sampling of free-living ixodid ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32
The effect of tick infestation on the productivity of cows of three breeds of cattle. M. M. SCHOLTZ, A. M. SPICKETT, P. E. LOMBARD and C. B. ENSLIN	58	71–74
Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS	58	137–143
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226

	Volume	Page
Theron, J.		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embroys with formalin and malachite green: effect of concentration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Uilenberg, Gerrit		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
Van Ark, H.		
Drag-sampling of free-living ixodid ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Van der Lugt, J. J.		
The pathology of *Cestrum laevigatum* (Schlechtd) poisoning in cattle. J. J. VAN DER LUGT, P. W. NEL and J. P. KITCHING	58	211–221
Van de Wiel, Paul A.		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
Van Gas, L.		
T cell-mediated immunity to *Cowdria ruminantium* in mice: the protective role of Lyt-2$^+$ T cells. J. L. DU PLESSIS, P. BERCHÉ and L. VAN GAS	58	171–179
Van Schalkwyk, P. C.		
Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK	58	115–123
Van Wyngaard, W.		
Laboratory confirmation of African horsesickness in the Western Cape: application of a $F(ab')_2$-based indirect ELISA. D. H. DU PLESSIS, W. VAN WYNGAARDT, G. H. GERDES and E. OPPERMAN	58	1–3
Venter, G. J.		
The use of a membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Walker, Jane B.		
A review of the ixodid ticks (Acari, Ixodidae) occurring in Southern Africa. JANE B. WALKER	58	81–105
Williams, E. J.		
Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK	58	115–123
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS	58	137–143
Parasites of domestic and wild animals in South Africa. XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS	58	253–260
Winterbach, Hanlie E. K.		
A gas-chromatographic headspace method for the determination of acetone in bovine milk, blood and urine. HANLIE E. K. WINTERBACH and P. J. APPS	58	75–79
Zandbergen, Thijs A.		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A., VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237

REPUBLIC OF SOUTH AFRICA

THE ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 58 | 1991 | Numbers 1–4

SUBJECT INDEX

	Volume	Page
Acari		
A review of the ixodid ticks (Acari, Ixodidae) occurring in Southern Africa. JANE B. WALKER	58	81–105
Acetone		
A gas-chromatographic headspace method for the determination of acetone in bovine milk, blood and urine. HANLIE E. K. WINTERBACH and P. J. APPS	58	75–79
Adenovirus 127		
Isolation and identification of adenovirus 127, the causative agent of egg drop syndrom (EDS) from commercial laying hens in South Africa. R. R. BRAGG, D. M. ALLWRIGHT and L. COETZEE	58	309–310
African horsesickness		
Laboratory confirmation of African horsesickness in the Western Cape: application of a $F(ab')_2$-based indirect ELISA. D. H. DU PLESSIS, W. VAN WYNGAARDT, G. H. GERDES and E. OPPERMAN	58	1–3
Air pollution		
Copper toxicity in ruminants: air pollution as a possible cause. B. GUMMOW, C. J. BOTHA, A. T. BASSON and STELLA S. BASTIANELLO	58	33–39
Amblyomma hebraeum		
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193
Angora goats		
Parasites of domestic and wild animals in South Africa. XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS	58	253–260
Anthelmintic efficacy		
Overberg research projects. XI. First stage larval reduction test to assess anthelmintic efficacy ante mortem in sheep. R. K. REINECKE, MARDI LOURENS and BERTHA PETERSEN	58	285–290
Antibiotic sensitivity patterns		
The antibiotic sensitivity patterns of *Bacillus anthracis* isolated from the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	17–19
Arthropod parasites		
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER	58	195–202
Parasites of domestic and wild animals in South Africa. XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS	58	253–260
Bacillus anthracis		
The antibiotic sensitivity patterns of *Bacillus anthracis* isolated from the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	17–19
The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	21–26
Bacteria		
Health status of salmonids in river systems in Natal. III. Isolation and identification of bacteria. R. R. BRAGG	58	67–70
Biochemical profiles		
The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	21–26
Birds		
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Blood		
A gas-chromatographic headspace method for the determination of acetone in bovine milk, blood and urine. HANLIE E. K. WINTERBACH and P. J. APPS	58	75–79
Blood parasites		
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Blue duikers		
Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP	58	11–13

	Volume	Page
Bluetongue virus		
The use of a membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Boophilus decoloratus		
The relative resistance of six cattle breeds to the tick *Boophilus decoloratus* in South Africa. Y. RECHAV and M. W. KOSTRZEWSKI	58	181–186
Brucella abortus		
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. melitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET V. LAWRENCE, O. L. BRETT and L. M. M. RIBEIRO	58	111–114
Brucella melitensis		
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. melitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET V. LAWRENCE, O. L. BRETT and L. M. M. RIBEIRO	58	111–114
Bulls		
A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. RIBEIRO, ELMARIE CLAASSEN and J. G. MYBURGH	58	41–45
Bushpigs		
Ixodid ticks and lice infesting red duikers and bushpigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMAND	58	281–284
Calliphoridae		
Spread in South Africa of the Oriental latrine fly *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae), an introduced species closely resembling *Chrysomya bezziana* Villeneuve. L. E. O. BRAACK	58	311–312
Cardiomyopathy		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Cattle		
The effect of tick infestation on the productivitiy of cows of three breeds of cattle, M. M. SCHOLTZ, A. M. SPICKETT, P. E. LOMBARD and C. B. ENSLIN	58	71–74
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. melitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET V. LAWRENCE, O. L. BRETT and L. M. M. RIBEIRO	58	111–114
The relative resistance of six cattle breeds to the tick *Boophilus decoloratus* in South Africa. Y. RECHAV and M. W. KOSTRZEWSKI	58	181–186
The pathology of *Cestrum laevigatum* (Schlechtd) poisoning in cattle. J. J. VAN DER LUGT, P. W. NEL and J. P. KITCHING	58	211–221
Cephalophus monticola		
Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP	58	11–13
Cephalophus natalensis		
Parasites of South African wildlife. X. Helminths of red duikers. *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	205–209
Ceratopogonidae		
The use of a membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Afrotropical *Culicoides: C. (Avaritia) miombo* sp. nov., a widespread species closely allied to *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae). R. MEISWINKEL	58	155–170
Cestrum laevigatum		
The pathology of *Cestrum laevigatum* (Schlechtd) poisoning in cattle. J. J. VAN DER LUGT, P. W. NEL and J. P. KITCHING	58	211–221
Chlamydia-like developmental cycle		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
Chrysomya bezziana		
Spread in South Africa of the Oriental latrine fly *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae), an introduced species closely resembling *Chrysomya bezziana* Villeneuve. L. E. O. BRAACK	58	311–312
Chrysomya megacephala		
Spread in South Africa of the Oriental latrine fly *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae), an introduced species closely resembling *Chrysomya bezziana* Villeneuve. L. E. O. BRAACK	58	311–312

	Volume	Page
Common carp		
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Complement fixation reactions		
A serological comparison of complement fixation reactions using *Brucella abortus* and *B. melitensis* antigens in *B. abortus* infected cattle. S. HERR, JANET V. LAWRENCE, O. L. BRETT and L. M. M. RIBEIRO	58	111–114
Cooperia rotundispiculum		
Parasites of South African wildlife. XI. Description of a new race of *Cooperia rotundispiculum* Gibbons & Khalil, 1980. J. BOOMKER	58	271–273
Copper toxicity		
Copper toxicity in ruminants: Air pollution as a possible cause. B. GUMMOW, C. J. BOTHA, A. T. BASSON and STELLA S. BASTIANELLO	58	33–39
Cowdria ruminantium		
T cell-mediated immunity to *Cowdria ruminantium* in mice: The protective role of Lyt-2$^+$ T cells. J. L. DU PLESSIS, P. BERCHE and L. VAN GAS	58	171–179
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
Cows		
The effect of tick infestation on the productivity of cows of three breeds of cattle. M. M. SCHOLTZ, A. M. SPICKETT, P. E. LOMBARD and C. B. ENSLIN	58	71–74
Clarias gariepinus		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embryos with formalin and malachite green: effect of concentration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Clinical pathology of cardiomyopathy		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Clinical signs of cardiomyopathy		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionopore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Culicoides		
Afrotropical *Culicoides: C. (Avaritia) miombo* sp. nov., a widespread species closely allied to *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae). R. MEISWINKEL	58	155–170
Culicoides (Avaritia) imicola		
Afrotropical *Culicoides: C. (Avaritia) miombo* sp. nov., a widespread species closely allied to *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae). R. MEISWINKEL	58	155–170
Culicoides (Avaretia) miombo		
Afrotropical *Culicoides: C. (Avaritia) miombo* sp. nov., a widespread species closely allied to *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae). R. MEISWINKEL	58	155–170
Culicoides imicola		
The use of membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Cyprinus carpio		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embryos with formalin and malachite green: effect of centration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepnus* (Burchell). J. THERON, J. P. PRINSLOO and H. J. SCHOONBEE	58	245–251
Developmental cycle		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237

	Volume	Page
Diceros bicornis		
Reproductive parameters in free-ranging female black rhinoceroses *(Diceros bicornis)* in Zimbabwe. N. KOCK, D. MORTONE and M. KOCK	58	55–57
Diplodia maydis		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Diptera		
The use of a membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Afrotropical *Culicoides: C. (Avaritia) miombo* sp. nov., a widespread species closely allied to *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae). R. MEISWINKEL	58	155–170
Spread in South Africa of the Oriental latrine fly *Chrysomya megacephala* (Fabricius) (Diptera: Calliphoridae), an introduced species closely resembling *Chrysomya bezziana* Villeneuve. L. E. O. BRAACK	58	311–312
Domestic animals		
Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK	58	115–123
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS	58	137–143
Parasites of domestic and wild animals in South Africa XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS	58	253–260
Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE	58	261–270
Drag-sampling of ticks		
Drag-sampling of free-living ixodid ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32
Egg drop syndrome		
Isolation and identification of adenovirus 127, the causative agent of egg drop syndrome (EDS) from commercial laying hens in South Africa. R. R. BRAGG, D. M. ALLWRIGHT and L. COETZEE	58	309–310
ELISA		
Laboratory confirmation of African horsesickness in the Western Cape: application of a $F(ab')_2$-based indirect ELISA. D. H. DU PLESSIS, W. VAN WYNGAARDT, G. H. GERDES and E. OPPERMAN	58	1–3
Embryos		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embryos with formalin and malachite green: effect of concentration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Epidemiology of cardiomyopathy		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Epithelial cells		
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATERHINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193
Ewes		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis* (=*Stenocarpella maydis*) during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Faecal egg counts		
Overberg research projects. X. Faecal egg counts in the interpretation of nematode worm burdens in sheep. R. K. REINECKE and H. T. GROENEVELD	58	149–153
Fish		
Health status of salmonids in river systems in Natal. I. Collection of fish and parasitological examination. R. R. BRAGG	58	59–62
Formalin		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embryos with formalin and malachite green: effect of concentration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251

	Volume	Page
Free-living ixodid ticks		
Drag-sampling of free-living ixodid ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32
Geeldikkop		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Guineafowls		
Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS	58	137–143
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Hares		
Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE	58	261–270
Headspace method		
A gas-chromatographic headspace method for the determination of acetone in bovine milk, blood and urine. HANLIE E. K. WINTERBACH and P. G. APPS	58	75–79
Heifers		
A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. RIBEIRO, ELMARIE CLAASSEN and J. G. MYBURGH	58	41–45
Helminths		
Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP	58	11–13
Parasites of South African wildlife. VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOMKER, D. G. BOOYSE and L. E. O. BRAACK	58	15–16
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER	58	195–202
Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT	58	203–204
Parasites of South African wildlife. X. Helminths of red duikers, *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	205–209
Parasites of domestic and wild animals in South Africa XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS	58	253–260
Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	275–280
Hens		
Isolation and identification of adenovirus 127, the causative agent of egg drop syndrome (EDS) from commercial laying hens in South Africa. R. R. BRAGG, D. M. ALLWRIGHT and L. COETZEE	58	309–310
Hyperimmune serum		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Immunoblot identification		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Immunoglobulin suspension		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Indirect ELISA		
Laboratory confirmation of African horsesickness in the Western Cape: application of a $F(ab')_2$-based indirect ELISA. D. H. DU PLESSIS, W. VAN WYNGAARDT, G. H. GERDES and E. OPPERMAN	58	1–3
Ionophore antibiotic		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296

	Volume	Page
Ixodidae		
A review of the ixodid ticks (Acari, Ixodidae) occurring in Southern Africa. JANE B. WALKER	58	81–105
Ixodid ticks		
Drag-sampling of free-living ixodid ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32
A review of the ixodid ticks (Acari, Ixodidae) occurring in Southern Africa. JANE B. WALKER	58	81–105
Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK	58	115–123
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE	58	261–270
Ixodid ticks and lice infesting red duikers and bushpigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMAND	58	281–284
Juveniles		
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Kudu		
Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT	58	203–204
Lambs		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Larvae		
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio*. L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Larval reduction test		
Overberg research projects. XI. First stage larval reduction test to assess, anthelmintic efficacy ante mortem in sheep. R. K. REINECKE, MARDI LOURENS and BETHEA PETERSEN	58	285–290
Lice		
Ixodid ticks and lice infesting red duikers and bush pigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMAND	58	281–284
Litter of poultry		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Maduramicin		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Malachite green		
Treatment of *Cyprinus carpio* L. and *Clarias gariepinus* (Burchell) embryos with formalin and malachite green: effect of concentration and length of treatment on their survival. J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	239–243
Investigations into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Mammals		
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Membrane feeding technique		
The use of a membrane feeding technique to determine the infection rate of *Culicoides imicola* (Diptera: Ceratopogonidae) for 2 bluetongue virus serotypes in South Africa. G. J. VENTER, ELAINE HILL, I. T. P. PAJOR and E. M. NEVILL	58	5–9
Mice		
T cell-mediated immunity to *Cowdria ruminantium* in mice: the protective role of Lyt-2$^+$ T cells. J. L. DU PLESSIS, P. BERCHÉ and L. VAN GAS	58	171–179

	Volume	Page
Milk		
A gas-chromatographic headspace, method for the determination of acetone in bovine milk, blood and urine. HANLIE E. K. WINTERBACH and P. J. APPS	58	75–79
Morphological profiles		
The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	21–26
Nematode worm burdens		
Overberg research projects. X. Faecal egg counts in the interpretation of nematode worm burdens in sheep. R. K. REINECKE and H. T. GROENEVELD	58	149–153
Neotragus moschatus		
Parasites of South African wildlife. VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOMKER, D. G. BOOYSE and L. E. O. BRAACK	58	15–16
New race of Cooperia		
Parasites of South African wildlife. XI. Description of a new race of *Cooperia rotundispiculum* Gibbons & Khalil, 1980. J. BOOMKER	58	271–273
Numida meleagris		
The prevalence of blood parasites in helmeted guineafowls, *Numida meleagris*, in the Kruger National Park. R. A. EARLÉ, I. G. HORAK, F. W. HUCHZERMEYER, G. F. BENNETT, L. E. O. BRAACK and B. L. PENZHORN	58	145–147
Nyala		
Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	275–280
Oriental latrine fly		
Spread in South Africa of the Oriental latrine fly *Chysomya megacephala* (Fabricius) (Diptera: Calliphoridae), an introduced species closely resembling *Chrysomya bezziana* Villeneuve. L. E. O. BRAACK	58	311–312
Overberg research projects		
Overberg research projects. X. Faecal egg counts in the interpretation of nematode worm burdens in sheep. R. K. REINECKE and H. T. GROENEVELD	58	149–153
Overberg research projects. XI. First stage larval reduction test to assess, anthelmintic efficacy ante mortem in sheep. R. K. REINECKE, MARDI LOURENS and BETHEA PETERSEN	58	285–290
Parasites of wildlife		
Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP	58	11–13
Parasites of South African wildlife. VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOMKER, D. G. BOOYSE and L. E. O. BRAACK	58	15–16
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER	58	195–202
Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT	58	203–204
Parasites of South African wildlife. X. Helminths of red duikers, *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	205–209
Parasites of South African wildlife. XI. Description of a new race of *Cooperia rotundispiculum* Gibbons & Khalil, 1980. J. BOOMKER	58	271–273
Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	275–280
Parasitological examination		
Health status of salmonids in river systems in Natal. I. Collection of fish and parasitological examination. R. R. BRAGG	58	59–62
Perinatal mortality		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis (= Stenocarpella maydis)* during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Pestivirus		
Prevalence of ruminant pestivirus infections in Namibia. K. DEPNER, O. J. B. HUBSCHLE and B. LIESS	58	107–109
Phacochoerus aethopicus		
Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER	58	195–202
Photosensitivity		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53

	Volume	Page
Poisoning		
The pathology of *Cestrum laevigatum* (Schlechtd) poisoning in cattle. J. J. VAN DER LUGT, P. W. NEL and J. P. KITCHING	58	211–221
Red duikers		
Parasites of South African wildlife. X. Helminths of red duikers, *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	205–209
Ixodid ticks and lice infesting red duikers and bushpigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMAND	58	281–284
Red rock rabbits		
Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE	58	261–270
Relative resistance of cattle		
The relative resistance of six cattle breeds to the tick *Boophilus decoloratus* in South Africa. Y. RECHAV and M. W. KOSTRZEWSKI	58	181–186
Reproductive parameters of rhinoceroses		
Reproductive parameters in free-ranging female black rhinoceroses *(Diceros bicornis)* in Zimbabwe. N. KOCK, D. MORTONE and M. KOCK	58	55–57
Rhinoceroses		
Reproductive parameters in free-ranging female black rhinoceroses *(Diceros bicornis)* in Zimbabwe. N. KOCK, D. MORTONE and M. KOCK	58	55–57
Rickettsia		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like developmental cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
River systems		
Health status of salmonids in river systems in Natal. I. Collection of fish and parasitological examination. R. R. BRAGG	59	59–62
Health status of salmonids in river systems in Natal. II. Isolation and identification of viruses. R. R. BRAGG	58	63–65
Health status of salmonids in river systems in Natal. III. Isolation and identification of bacteria. R. R. BRAGG	58	67–70
Ruminants		
Copper toxicity in ruminants: air pollution as a possible cause. B. GUMMOW, C. J. BOTHA, A. T. BASSON and STELLA S. BASTIANELLO	58	33–39
Prevalence of ruminant pestivirus infections in Namibia. K. DEPNER, O. J. B. HUBSCHLE and B. LIESS	58	107–109
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. 1. Epidemiology, clinical signs and clinical pathology. N. FOURIE, STELLA S. BASTIANELLO, L. PROZESKY, P. W. NEL and T. S. KELLERMAN	58	291–296
Salivary gland proteins		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Salmonids		
Health status of salmonids in river systems in Natal. I. Collection of fish and parasitological examination. R. R. BRAGG	58	59–62
Health status of salmonids in riversystems in Natal. II. Isolation and identification of viruses. R. R. BRAGG	58	63–65
Health status of salmonids in river systems in Natal. III. Isolation and identification of bacteria. R. R. BRAGG	58	67–70
Saponins		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Sensitivity patterns		
The antibiotic sensitivity patterns of *Bacillus anthracis* isolated from the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA	58	17–19
Sharptooth catfish		
Investigation into the effects of concentration and duration of exposure to formalin and malachite green on the survival of the larvae and juveniles of the common carp *Cyprinus carpio* L. and the sharptooth catfish *Clarias gariepinus* (Burchell). J. THERON, J. F. PRINSLOO and H. J. SCHOONBEE	58	245–251
Sheep		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK	58	115–123
Overberg research projects. X. Faecal egg counts in the interpretation of nematode worm burdens in sheep. R. K. REINECKE and H. T. GROENEVELD	58	149–153
Overberg research projects. XI. First stage larval reduction test to assess, anthelminitic efficacy ante mortem in sheep. R. K. REINECKE, MARDI LOURENS and BETHEA PETERSEN	58	285–290

	Volume	Page
Stenocarpella maydis		
Perinatal mortality in lambs of ewes exposed to cultures of *Diplodia maydis* (=*Stenocarpella maydis*) during gestation. T. S. KELLERMAN, L. PROZESKY, R. ANITRA SCHULTZ, C. J. RABIE, H. VAN ARK, B. P. MAARTENS and ANNELIE LÜBBEN	58	297–308
Suni		
Parasites of South African wildlife. VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOMKER, D. G. BOOYSE and L. E. O. BRAACK	58	15–16
Sweating sickness		
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Tick-borne rickettsia		
The tick-borne rickettsia *Cowdria ruminantium* has a chlamydia-like development cycle. FRANS JONGEJAN, THIJS A. ZANDBERGEN, PAUL A. VAN DE WIEL, MIA DE GROOT and GERRIT UILENBERG	58	227–237
Ticks		
Drag-sampling of free-living ixodid ticks in the Kruger National Park. A. M. SPICKETT, I. G. HORAK, L. E. O. BRAACK and H. VAN ARK	58	27–32
The effect of tick infestation on the productivity of cows of three breeds of cattle. M. M. SCHOLTZ, A. M. SPICKETT, P. E. LOMBARD and C. B. ENSLIN	58	71–74
A review of the ixodid ticks (Acari, Ixodidae) occurring in Southern Africa. JANE B. WALKER	58	81–105
Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK	58	115–123
Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS	58	125–136
Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS	58	137–143
The relative resistance of six cattle breeds to the tick *Boophilus decoloratus* in South Africa. Y. RECHAV and M. W. KOSTRZEWSKI	58	181–186
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193
Sweating sickness: relative curative effect of hyperimmune serum and a precipitated immunoglobulin suspension and immunoblot identification of proposed immunodominant tick salivary gland proteins. A. M. SPICKETT, D. B. BURGER, J. C. CRAUSE, ELIZABETH M. ROUX and A. W. H. NEITZ	58	223–226
Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE	58	261–270
Ixodid ticks and lice infesting red duikers and bushpigs in north-eastern Natal. I. G. HORAK, J. BOOMKER and J. R. B. FLAMAND	58	281–284
T cell-mediated immunity		
T cell-mediated immunity to *Cowdria ruminantium* in mice: the protective role of Lyt-2$^+$ T cells. J. L. DU PLESSIS, P. BERCHE and L. VAN GAS	58	171–179
T cells		
T cell-mediated immunity to *Cowdria ruminantium* in mice: the protective role of Lyt-2$^+$ T cells. J. L. DU PLESSIS, P. BERCHE and L. VAN GAS	58	171–179
Tragelaphus angasii		
Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND	58	275–280
Tragelaphus strepsiceros		
Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT	58	203–204
Tribulus terestris		
Photosensitivity in South Africa. VI. The experimental induction of geeldikkop in sheep with crude steroidal saponins from *Tribulus terrestris*. T. S. KELLERMAN, G. L. ERASMUS, J. A. W. COETZER, J. M. M. BROWN and B. P. MAARTENS	58	47–53
Trichomonas foetus		
A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. RIBEIRO, ELMARIE CLAASSEN and J. G. MYBURGH	58	41–45
Ultrastructural morphology		
Ultrastructural morphology of *Cowdria ruminantium* in midgut epithelial cells of adult *Amblyomma hebraeum* female ticks. ALET HART, KATHERINE M. KOCAN, J. D. BEZUIDENHOUT and L. PROZESKY	58	187–193

Urine

A gas-chromatographic headspace method for the determination of acetone in bovine milk, blood and urine. HANLIE E. K. WINTERBACH and P. J. APPS 58 75–79

Vaccination

A reduction in the duration of infection with *Trichomonas foetus* following vaccination in heifers and the failure to demonstrate a curative effect in infected bulls. S. HERR, L. M. M. RIBEIRO, ELMARIE CLAASSEN and I. G. MYBURGH 58 41–45

Virulence profiles

The biochemical, morphological and virulence profiles of *Bacillus anthracis* isolated in the Kruger National Park. M. W. ODENDAAL, P. M. PIETERSON, V. DE VOS and A. D. BOTHA 58 21–26

Viruses

Health status of salmonids in riversystems in Natal. II. Isolation and identification of viruses. R. R. BRAGG 58 63–65

Warthogs

Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER 58 195–202

Wild animals

Parasites of domestic and wild animals in South Africa. XXV. Ixodid ticks on sheep in the north-eastern Orange Free State and in the eastern Cape Province. I. G. HORAK, E. J. WILLIAMS and P. C. VAN SCHALKWYK 58 115–123

Parasites of domestic and wild animals in South Africa. XXVI. The mosaic of ixodid tick infestations on birds and mammals in the Mountain Zebra National Park. I. G. HORAK, L. J. FOURIE, P. A. NOVELLIE and E. A. WILLIAMS 58 125–136

Parasites of domestic and wild animals in South Africa. XXVII. Ticks on helmeted guineafowls in the eastern Cape Province and eastern Transvaal Lowveld. I. G. HORAK, A. M. SPICKETT, L. E. O. BRAACK and E. J. WILLIAMS 58 137–143

Parasites of domestic and wild animals in South Africa. XXVIII. Helminths and arthropod parasites of Angora goats and kids in Valley Bushveld. I. G. HORAK, M. M. KNIGHT and E. J. WILLIAMS 58 253–260

Parasites of domestic and wild animals in South Africa. XXIX. Ixodid ticks on hares in the Cape Province and on hares and red rock rabbits in the Orange Free State. I. G. HORAK and L. J. FOURIE 58 261–270

Wildlife

Parasites of South African wildlife. VI. Helminths of blue duikers, *Cephalophus monticola*, in Natal. J. BOOMKER, D. G. BOOYSE and M. E. KEEP 58 11–13

Parasites of South African wildlife. VII. Helminths of suni, *Neotragus moschatus*, in Natal. J. BOOMKER, D. G. BOOYSE and L. E. O. BRAACK 58 15–16

Parasites of South African wildlife. VIII. Helminth and arthropod parasites of warthogs, *Phacochoerus aethiopicus*, in the eastern Transvaal. J. BOOMKER, I. G. HORAK, D. G. BOOYSE and SANTA MEYER 58 195–202

Parasites of South African wildlife. IX. Helminths of kudu *Tragelaphus strepsiceros*, in the eastern Cape Province. J. BOOMKER, I. G. HORAK and M. M. KNIGHT 58 203–204

Parasites of South African wildlife. X. Helminths of red duikers, *Cephalophus natalensis*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND 58 205–209

Parasites of South African wildlife. XI. Description of a new race of *Cooperia rotundispiculum* Gibbons & Khalil, 190. J. BOOMKER 58 271–273

Parasites of South African wildlife. XII. Helminths of nyala, *Tragelaphus angasii*, in Natal. J. BOOMKER, I. G. HORAK and J. R. B. FLAMAND 58 275–280